

Disclaimer:

This English translation is produced by machine translation and may contain errors. The JPO, the INPIT, and those who drafted this document in the original language are not responsible for the result of the translation.

Notes:

1. Untranslatable words are replaced with asterisks (****).
2. Texts in the figures are not translated and shown as it is.

Translated: 00:58:19 JST 03/19/2009

Dictionary: Last updated 03/10/2009 / Priority:

CLAIM + DETAILED DESCRIPTION

[Claim(s)]

[Claim 1] The maternity brassiere characterized by providing the following The lift part containing the portion of a brassiere cup applied to a lateral part and an upper edge part from a lower edge part at least The stop implement which enables removal of a strap part from a strap while forming in one the strap part connected with this lift part with this cloth

[Detailed Description of the Invention]**[0001]**

[Industrial Application] Especially this invention relates to the maternity brassiere which considered a bust rise and breast-feeding of ****.

[0002]

[Description of the Prior Art] The means which hits a towel to the bust bottom and lifted it about old and the bust rise of ****. Or although the means which strengthens the material of a brassiere and kept the form of a bust rise state fixed was able to see In the former means, there is dissatisfaction, like the fault that the power of holding a bust is weak lacks the feel at the time of wear at softness again at the latter means.

[0003]

[Problem(s) to be Solved by the Invention] While this invention brings near the bust of **** from a side in view of the above actual condition and supporting firmly, breast-feeding sets it as the purpose to offer the maternity brassiere which can be performed easily.

[0004]

[Means for Solving the Problem] [the maternity brassiere concerning this invention] in order to attain the above-mentioned purpose While forming in one the lift part containing the portion of a brassiere cup applied to a lateral part and an upper edge part from a lower edge part at least, and the strap part connected with this lift part with this cloth, it has the stop implement which enables removal of a strap part from a strap.

[0005]

[Function] The function of the maternity brassiere concerning above-mentioned this invention is described below. According to this invention, it is the lift part of a brassiere cup surface part which forms the upper edge part of a side part from a lower edge part at least, Since the strap part connected with this lift part is formed in one by this cloth, the associative strength of a lift part and a strap part is strengthened, therefore at the time of use [the bust of ****] It will be brought near by the above-mentioned lift part from a side, will be raised from the bottom, and will support firmly by a strap part further. Moreover, since it comes to have the stop implement which enables removal of a strap part from a strap, breast-feeding can carry out easily by removing the above-mentioned strap part from a strap.

[0006]

[Example] The maternity brassiere concerning this invention is hereafter explained based on the work example shown in the accompanying drawing. The maternity brassiere 1 applied to this invention in a figure, It has the stop implement 6 which enables removal of the lift part 3

containing the portion of the brassiere cup 2 applied to a lateral part 3b and an upper edge part 3c from a lower edge part 3a at least, this lift part 3 and the strap part 4 formed in one by this cloth, and the strap part 4 from a strap 5. And the tape 8 for the end of the above-mentioned strap 5 being sewn on **** 7, and preventing fall of a cup 2 is attached between the stop implement 6 and the lower edge part of a brassiere cup back part. In addition, in the above-mentioned work example, the lift part 3 and the strap part 4 are, As long as the lift part 3 and the strap part are formed in one by this cloth, you may make it form the lift part 3 in the back part of the brassiere cup 2 that what is necessary is just to choose an installation part arbitrarily, although prepared in the surface part of the brassiere. Moreover, if the lift part 3 is the composition containing the portion applied to a lateral part 3b and an upper edge part 3c from a lower edge part 3a at least, it is needless to say that it is not limited to a work example. Furthermore, also about the above-mentioned stop implement, as long as a strap part can be removed from a strap, you may use what kind of stop implement.

[0007]
[Effect of the Invention] according to [as stated above] the maternity brassiere of this invention — a brassiere cup — at least — the lateral part from a lower edge part — and Since the lift part containing the portion applied to an upper edge part and the strap part connected with this lift part are formed in one by this cloth, can strengthen the associative strength of a lift part and a strap part, and it sets at the time of use. The bust of ***** is brought near by the above-mentioned lift part from a side, and is lifted from the bottom, and the prominent bust rise effect of supporting firmly by a strap part is acquired further. And since the stop implement which a strap part can remove freely from a strap is formed, troublesome breast-feeding can carry out very easily.

[Translation done.]

PUBLICATION NUMBER : 09003706
PUBLICATION DATE : 07-01-97


APPLICATION DATE : 15-06-95
APPLICATION NUMBER : 07171598

APPLICANT : ROOZUMADAMU HONPO KK;

INVENTOR : HASEGAWA YUKARI;

INT.CL. : A41C 3/04 A41C 3/12

TITLE : MATERNITY BRASSIERE



ABSTRACT : **PURPOSE:** To prepare a maternity brassiere capable of collecting the breasts of a pregnant woman from her breast sides, surely supporting the collected breasts, and simply suckling a baby.

CONSTITUTION: A lifting area containing at least an area ranging from a lower edge part to an outside part and further to an upper edge part in a brassiere cup, and a strap part 4 connected to the lifting area are integrally formed from the same fabric. The brassiere is further provided with fasteners 6 enabling to freely detach the strap parts from a shoulder string 5.

COPYRIGHT: (C)1997,JPO

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開平9-3706

(43) 公開日 平成9年(1997)1月7日

(51) Int.Cl. ⁶	識別記号	庁内整理番号	F I	技術表示箇所
A 4 1 C	3/04		A 4 1 C	A
	3/12		3/12	A
				D

審査請求 未請求 請求項の数 1 F D (全 3 頁)

(21) 出願番号 特願平7-171598

(22) 出願日 平成7年(1995)6月15日

(71) 出願人 591247709

株式会社ローズマダム

東京都墨田区菊川3丁目20番7号

(72) 発明者 長谷川 由香莉

東京都墨田区菊川3丁目20番7号 株式会
社ローズマダム内


(74) 代理人 弁理士 西垣 康雄

(54) 【発明の名称】 マタニティブラジャー

(57) 【要約】 (修正有)

【目的】 妊娠婦のバストをサイドからよせ、しっかり支えるとともに、授乳が簡単に行ない得るマタニティブラジャーを提供することをその目的とするものである。

【構成】 ブラジャーカップの少なくとも下辺部から外側部、そして上辺部にかけての部分を含むリフト部と、このリフト部に連結されるストラップ部とを、同布により一体に形成するとともに、ストラップ部を肩紐より取り外し自在とする止め具を備えたものである。



(19) 日本国特許庁 (J P)

(12) 公 開 特 許 公 報 (A)

(11) 特許出願公開番号

特開平9-3706

(43) 公開日 平成9年(1997)1月7日

(51) Int.Cl.⁶

A 4 1 C 3/04
3/12

識別記号

庁内整理番号

F I

A 4 1 C 3/04
3/12

技術表示箇所

A
A
D

審査請求 未請求 請求項の数 1 F D (全 3 頁)

(21) 出願番号 特願平7-171598

(22) 出願日 平成7年(1995)6月15日

(71) 出願人 591247709

株式会社ローズマダム

東京都墨田区菊川3丁目20番7号

(72) 発明者 長谷川 由香莉

東京都墨田区菊川3丁目20番7号 株式会
社ローズマダム内


(74) 代理人 弁理士 西垣 康雄

(54) 【発明の名称】 マタニティブラジャー

(57) 【要約】 (修正有)

【目的】 妊娠婦のバストをサイドからよせ、しっかり支えるとともに、授乳が簡単に行ない得るマタニティブラジャーを提供することをその目的とするものである。

【構成】 ブラジャーカップの少なくとも下辺部から外側部、そして上辺部にかけての部分を含むリフト部と、このリフト部に連結されるストラップ部とを、同布により一体に形成するとともに、ストラップ部を肩紐より取り外し自在とする止め具を備えたものである。



【特許請求の範囲】

【請求項1】 ブラジャーカップの少なくとも下辺部から外側部、そして上辺部にかけての部分を含むリフト部と、このリフト部に連結されるストラップ部とを、同布により一体に形成するとともに、ストラップ部を肩紐より取り外し自在とする止め具を備えたことを特徴とするマタニティブラジャー。

【発明の詳細な説明】

【0001】

【産業上の利用分野】この発明は、妊娠婦のバストアップと授乳に特に配慮したマタニティブラジャーに関するものである。

【0002】

【従来の技術】従前、妊娠婦のバストアップについて、タオルをバストの下側にあてて持ち上げるようにした手段、あるいは、ブラジャーの素材を強化して、バストアップ状態の形状を固定的に保つようにした手段などが見受けられたが、前者の手段においては、バストを保持する力が弱いという欠点があり、また、後者の手段には、着用時の感触がソフトさに欠けるなどの不満があったものである。

【0003】

【発明が解決しようとする課題】上記のような実状に鑑み、本発明は、妊娠婦のバストをサイドからよせ、しっかり支えるとともに、授乳が簡単に行ない得るマタニティブラジャーを提供することをその目的とするものである。

【0004】

【問題を解決するための手段】上記の目的を達成するために、この発明に係るマタニティブラジャーは、ブラジャーカップの少なくとも下辺部から外側部、そして上辺部にかけての部分を含むリフト部と、このリフト部に連結されるストラップ部とを、同布により一体に形成するとともに、ストラップ部を肩紐より取り外し自在とする止め具を備えたものである。

【0005】

【作用】上記の本発明に係るマタニティブラジャーの機能を以下に述べる。本発明によれば、ブラジャーカップ表面部の少なくとも下辺部から脇部の上辺部を形成するリフト部と、このリフト部に連結されるストラップ部が同布により一体に形成されているから、リフト部とストラップ部の結合力が強化され、したがって、使用時に、妊娠婦のバストは、上記リフト部によってサイドからよせられ、下から持ち上げられ、さらに、ストラップ部によりしっかり支えられることとなる。また、ストラップ部を肩紐より取り外し自在とする止め具が備えられているから、授乳が、上記ストラップ部を肩紐より取り外すことにより、簡単に行なうことができる。

【0006】

【実施例】以下、本発明に係るマタニティブラジャー

を、添付図面に示した実施例に基づいて説明する。図において、本発明に係るマタニティブラジャー1は、ブラジャーカップ2の少なくとも下辺部3aから外側部3b、そして上辺部3cにかけての部分を含むリフト部3と、このリフト部3と同布により一体に形成されるストラップ部4と、ストラップ部4を肩紐5より取り外し自在とする止め具6が備えられている。そして、上記肩紐5の一端は脇布7に縫着され、また、カップ2の落下を防ぐためのテープ8が、止め具6とブラジャーカップ裏面部の下辺部との間に取り付けられている。尚、上記実施例においては、リフト部3およびストラップ部4は、ブラジャーの表面部に設けたが、リフト部3とストラップ部4と同布により一体に形成されている限り、設置箇所は任意に選択すればよく、例えば、リフト部3をブラジャーカップ2の裏面部に設けるようにしてもよい。また、リフト部3は、少なくとも下辺部3aから外側部3b、そして上辺部3cにかけての部分を含む構成であれば実施例に限定されないことは勿論である。さらに、上記の止め具についても、ストラップ部が肩紐より取り外し自在であれば、どのような種類の止め具を用いてもよい。

【0007】

【発明の効果】以上述べたように、本発明のマタニティブラジャーによれば、ブラジャーカップの少なくとも下辺部から外側部、そして上辺部にかけての部分を含むリフト部と、このリフト部に連結されるストラップ部とが、同布により一体に形成されているから、リフト部とストラップ部との結合力が強化でき、使用時に、妊娠婦のバストが、上記リフト部によってサイドからよせられ、下から持ち上げられ、さらに、ストラップ部によりしっかり支えられるといった、顕著なバストアップ効果が得られるものである。しかも、ストラップ部が肩紐より取り外し自在な止め具が設けられているから、面倒な授乳が極めて簡単に行なうことができる。

【図面の簡単な説明】

【図1】本発明のマタニティブラジャーの正面図である。

【図2】使用状態を示す説明図である。


【図3】マタニティブラジャーの止め具部分を示す要部斜視図である。

【図4】止め具を外した状態を示す要部斜視図である。


【符号の説明】

- 1 マタニティブラジャー
- 2 ブラジャーカップ
- 3 リフト部
- 4 ストラップ部
- 5 肩紐
- 6 止め具
- 7 脇布
- 8 テープ


【図1】




【図2】



【図3】



【図4】



Disclaimer:

This English translation is produced by machine translation and may contain errors. The JPO, the INPIT, and those who drafted this document in the original language are not responsible for the result of the translation.

Notes:

1. Untranslatable words are replaced with asterisks (*****).
2. Texts in the figures are not translated and shown as it is.

Translated: 00:58:19 JST 03/19/2009

Dictionary: Last updated 03/10/2009 / Priority:

CLAIM + DETAILED DESCRIPTION

[Claim(s)]

[Claim 1] The maternity brassiere characterized by providing the following The lift part containing the portion of a brassiere cup applied to a lateral part and an upper edge part from a lower edge part at least The stop implement which enables removal of a strap part from a strap while forming in one the strap part connected with this lift part with this cloth

[Detailed Description of the Invention]**[0001]**

[Industrial Application] Especially this invention relates to the maternity brassiere which considered a bust rise and breast-feeding of *****.

[0002]

[Description of the Prior Art] The means which hits a towel to the bust bottom and lifted it about old and the bust rise of *****. Or although the means which strengthens the material of a brassiere and kept the form of a bust rise state fixed was able to see In the former means, there is dissatisfaction, like the fault that the power of holding a bust is weak lacks the feel at the time of wear at softness again at the latter means.

[0003]

[Problem(s) to be Solved by the Invention] While this invention brings near the bust of ***** from a side in view of the above actual condition and supporting firmly, breast-feeding sets it as the purpose to offer the maternity brassiere which can be performed easily.

[0004]

[Means for Solving the Problem] [the maternity brassiere concerning this invention] in order to attain the above-mentioned purpose While forming in one the lift part containing the portion of a brassiere cup applied to a lateral part and an upper edge part from a lower edge part at least, and the strap part connected with this lift part with this cloth, it has the stop implement which enables removal of a strap part from a strap.

[0005]

[Function] The function of the maternity brassiere concerning above-mentioned this invention is described below. According to this invention, it is the lift part of a brassiere cup surface part which forms the upper edge part of a side part from a lower edge part at least, Since the strap part connected with this lift part is formed in one by this cloth, the associative strength of a lift part and a strap part is strengthened, therefore at the time of use [the bust of *****] It will be brought near by the above-mentioned lift part from a side, will be raised from the bottom, and will support firmly by a strap part further. Moreover, since it comes to have the stop implement which enables removal of a strap part from a strap, breast-feeding can carry out easily by removing the above-mentioned strap part from a strap.

[0006]

[Example] The maternity brassiere concerning this invention is hereafter explained based on the work example shown in the accompanying drawing. The maternity brassiere 1 applied to this invention in a figure, It has the stop implement 6 which enables removal of the lift part 3

containing the portion of the brassiere cup 2 applied to a lateral part 3b and an upper edge part 3c from a lower edge part 3a at least, this lift part 3 and the strap part 4 formed in one by this cloth, and the strap part 4 from a strap 5. And the tape 8 for the end of the above-mentioned strap 5 being sewn on **** 7, and preventing fall of a cup 2 is attached between the stop implement 6 and the lower edge part of a brassiere cup back part. In addition, in the above-mentioned work example, the lift part 3 and the strap part 4 are, As long as the lift part 3 and the strap part are formed in one by this cloth, you may make it form the lift part 3 in the back part of the brassiere cup 2 that what is necessary is just to choose an installation part arbitrarily, although prepared in the surface part of the brassiere. Moreover, if the lift part 3 is the composition containing the portion applied to a lateral part 3b and an upper edge part 3c from a lower edge part 3a at least, it is needless to say that it is not limited to a work example. Furthermore, also about the above-mentioned stop implement, as long as a strap part can be removed from a strap, you may use what kind of stop implement.

[0007]

[Effect of the Invention] according to [as stated above] the maternity brassiere of this invention — a brassiere cup — at least — the lateral part from a lower edge part — and Since the lift part containing the portion applied to an upper edge part and the strap part connected with this lift part are formed in one by this cloth, can strengthen the associative strength of a lift part and a strap part, and it sets at the time of use. The bust of ***** is brought near by the above-mentioned lift part from a side, and is lifted from the bottom, and the prominent bust rise effect of supporting firmly by a strap part is acquired further. And since the stop implement which a strap part can remove freely from a strap is formed, troublesome breast-feeding can carry out very easily.

[Translation done.]